



8W LED Bollard, IP65 for garden illumination.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                      |                        |
|----------------------|------------------------|
| Item Group           | 19 Garden & Underwater |
| Family               | Corridor Bollards      |
| Order Code           | 67508A/AN/W            |
| Colour               | Anthracite             |
| Material             | Die Cast               |
| Shape                | Rectangular            |
| Height               | 700mm                  |
| Surface Floor/Ground | Yes                    |
| Outdoor              | Yes                    |
| Adjustable           | No                     |
| IK Rating            | 6                      |

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

8W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

500mA

Light Source

LED built in

LED Type

SMD

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

500mA

Dimmable

No

## Illumination Data

Colour Temperature

3000K

Lumen Output

600lm

Light Efficiency

75lm/W

CRI

80

Illumination Diagram



### Packing Info

Box Weight

3.400kg

Pcs/Carton

2

Barcode

5291889080220

HS Code

9405413990

### Certification & Warranty

Warranty

2 years